

JEFFERSON COUNTY

COMMUNITY DEVELOPMENT DEPARTMENT

85 S.E. "D" St • Madras, Oregon 97741 • Ph: (541) 475-4462 • FAX: (541) 325-5004



ACKNOWLEDGEMENT FORM MOISTURE CONTENT & HIGH-EFFICACY LIGHTING

Permit #: _____

Tax Account # _____

Address: _____

Moisture Content

To conform with the 2017 Oregon Residential Specialty Code (ORSC), Section R318.2 and Oregon Administrative Rule (OAR) 918-480-140, I am notifying the Building Official that I am aware of the moisture content requirements of the ORSC Section 318.2 and will take steps to meet this code requirement. (Section R318.2 is provided for reference.)

Section R318.2 Moisture Content. Prior to installation of the interior finishes, the building official shall be notified in writing by the general contractor that all moisture-sensitive wood framing members used in construction have a moisture content of not more than 19 percent of the weight of dry wood framing members.

High-Efficacy Lighting Verification

To conform to ORSC Section N1107.2, I am notifying the Building Official that the structure will comply with the high-efficacy lighting system requirements. The Building Official shall be notified in writing at the final inspection that all permanently installed lighting fixtures have met this requirement. (Section N1107.2 is provided for reference.)

Section N1107.2 High-efficacy lamps. All permanently installed lighting fixtures shall contain high-efficacy lamps. Screw-in compact fluorescent and LED lamps comply with this requirement.

Signature: _____

Printed Name: _____

Date: _____